



**Test Report**

No.T32220330613TY

Date: Nov 28, 2022

Page 1 of 9

SUPER IMPULSE LIMITED  
UNIT 515, 5/F, PENINSULA CENTRE,  
67 MODY ROAD, TSIMSHATSUI EAST, KOWLOON, HONG KONG

The following samples were submitted and identified by/on behalf of the client as:  
WORLD'S COOLEST ROCK'EM SOCK'EM ROBOTS

Case No.	: CA322203325159
Style/Item No.	: 540
Country of Origin	: CHINA
Labeled Age Grading	: 8+
Requested Age Grading	: NOT STATED
Age Group Assessed As Per	: 3 YEARS+
Age Guideline	
Age Group Applied in Testing	: 3 YEARS+
Sample Receiving Date	: NOV 21, 2022
Testing Period	: NOV 21, 2022 – NOV 24, 2022

Test Requested	Conclusion
ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS
Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS
CPSIA section 101 - Total Lead content	--
CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	Not Applicable
CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
US 16 CFR Part 1307 – Phthalates	PASS
US Model Toxics in Packaging Legislation (TPCH: Toxics in Packaging Clearing House) (formerly drafted by CONEG) – Total Lead, Cadmium, Mercury and Hexavalent Chromium content	PASS
US California Proposition 65 – Lead Content	PASS
US California Proposition 65 – Phthalates Content	PASS

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of  
SGS Hong Kong Ltd.

Wong Sau Wai, Athena  
Assistant Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Results:**

**ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY**

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	Safety Requirements	
4.1	Material Quality **	<u>Pass</u>
4.2	Flammability Test	<u>Pass (See Detail of test result)</u>
4.3	Toxicology	
4.3.5	Heavy Elements	
	4.3.5.2 Heavy Metal in Substrate Materials	<u>Pass (See Detail of test result)</u>
4.7	Accessible Edges	<u>Pass</u>
4.9	Accessible Points	<u>Pass</u>
4.11	Nails and Fasteners	<u>Pass</u>
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	<u>Pass</u>
7	Producer's Markings	
7.1	Producer's Markings	<u>Pass</u>
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	<u>Pass</u>

\*\* Visual Examination

Detail of test result:

ASTM F963-17, Clause 4.2 – Flammability Test  
Flammability Test on Solid

<u>Sample</u>	<u>Burning Rate (inch/sec)</u>
WORLD'S COOLEST ROCK'EM SOCK'EM ROBOTS	0.02

Requirement: A toy / component is considered a “flammable solid” if it ignites and burns with a self-sustaining flame at a rate greater than 0.1 in/sec along its major axis.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials**

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-17 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Total Lead Content

Test Item(s)	Lead (Pb)
MDL (ppm)	10
Total Limit (ppm)	100
Specimen Description	Result(s) (ppm)
1. Red plastic (Figure case) + Dull blue plastic (Figure case)	ND
2. Silvery metal (Screw)	ND
3. Silvery metal (Nail)	ND

Soluble Heavy Metal Content

Test Item(s)	Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (ppm)	5	5	2.5	10	5	5	5	10
Migration Limit (ppm) -- Other Than Modeling Clays	90	60	25	1000	75	60	60	500
Migration Limit (ppm) -- Modeling Clays	90	60	25	250	50	25	25	500
Specimen No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)						
1	/	ND	ND	ND	ND	ND	ND	ND
2	/	ND	ND	ND	ND	ND	ND	ND

Specimen Description:

1. Red plastic (Figure case)
2. Dull blue plastic (Figure case)

- Note:
- ppm = parts per million
  - µg/component = microgramme per component
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm
  - + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Tracking label per 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children’s products.**

As specified in 15 U.S.C. § 2063(a)(5) and Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children’s products.

- Tracking label on the packaging: Present
- Tracking label on the product: Present

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

**CPSIA - Lead in Accessible Substrate Materials**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children’s Metal Products (Including Children’s Metal Jewelry)

Test Item(s)	Lead (Pb)
Permissible Limit <b>**</b> (ppm)	100
Specimen Description	Result(s) (ppm)
1. Red plastic (Figure case) + Dull blue plastic (Figure case)	ND
2. Silvery metal (Screw)	ND
3. Silvery metal (Nail)	ND

\*\* Permissible Limit applies to a children’s product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm
  - + Composite test has been performed as per client’s request and the results are calculated using the minimum specimen weight

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**US 16 CFR Part 1307 – Phthalates Content**

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result (s) (%)	MDL (%)	Permissible Limit (%)
<b>Specimen No.</b>	--	<b>1</b>		
Dibutyl Phthalate (DBP)	84-74-2	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	0.003	0.1

Specimen Description:

1. Red plastic (Figure case) + Dull blue plastic (Figure case)

- Note:
- % = percentage by weight
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit
  - 1% = 10000 mg/kg = 10000 ppm
  - + Composite test has been performed as per client's request and the results are calculated using the total specimen weight

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**US Model Toxics in Packaging Legislation (TPCH: Toxics in Packaging Clearing House) (formerly drafted by CONEG) – Total Lead, Cadmium, Mercury and Hexavalent Chromium content**

Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC62321-7-1:2015

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Ultraviolet Visible Spectrophotometer (UV-Vis)

Test Item(s)	Pb	Cd	Hg	Cr(VI)	Total (Pb + Cd + Cr(VI)+ Hg)
MDL (mg/kg)	5	5	5	8	--
Permissible Limit (mg/kg)	--	--	--	--	100
Specimen No.	--	--	--	--	--
1	ND	ND	ND	ND#	ND
2	ND	ND	ND	ND#	ND

Specimen Description:

1. Transparent soft plastic (Blister)
2. White paper w/ multi-color dots coating, back white coating (Banner sheet) + White paper w/ multi-color dots coating (Collection sheet)

- Note:
- mg/kg = milligram per kilogram
  - 1% = 10000 mg/kg = 10000 ppm
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)
  - The TPCH legislation has been enacted by California, Connecticut, Florida, Georgia, Illinois, Iowa, Maine, Maryland, Minnesota, Missouri, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, Virginia, Washington and Wisconsin.
  - # = The result of Hexavalent chromium (Cr(VI)) is considered as “Not Detected” since the total chromium content determined by acid digestion is “Not Detected”.
  - + Composite test has been performed as per client’s request and the results are calculated using the minimum specimen weight

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



## Test Report

No.T32220330613TY

Date: Nov 28, 2022

Page 7 of 9

### US California Proposition 65 – Total Lead Content

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Red plastic (Figure case) + Dull blue plastic (Figure case)	ND
2. Silvery metal (Screw)	ND
3. Silvery metal (Nail)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - 1% = 10000mg/kg=10000ppm
  - MDL = Method Detection Limit =10 ppm
  - + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight

**Remark: Summary of permissible limit(s) of Lead requirement otherwise warning label required.**

Requirement(s)	Permissible Limit of Lead (ppm)	Effective Date
California Proposition 65 (ACSC Case No. RG-07-356892)	Surface Coating	90
	Accessible substrate	100

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**California Prop 65 - Phthalates Content**

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result(s) (%)	MDL (%)
<b>Specimen No.</b>	--	<b>1</b>	
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.003

Specimen Description:

1. Red plastic (Figure case) + Dull blue plastic (Figure case)

- Note:
- % = percentage by weight
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)
  - 1% = 10000 mg/kg = 10000 ppm
  - + Composite test has been performed as per client's request and the results are calculated using the total specimen weight

**Summary of Permissible Limit of Requirement(s) otherwise warning label required:**

Requirement(s)	Permissible Limit
California Proposition 65 (County of Sacramento Case No. 34-2008-00003278)	
- Children's product	≤ 0.1% for DEHP

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Remark:**


When statement of conformity is made, unless inherent in the requested specification or instructed by the applicant, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability,  $w = U_{95}$ ) in ILAC-G8:09/2019 Clause 4.2.3.

“Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band.” or “Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.”

“Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band.” or “Fail - One or more measured values were observed out of tolerance at the points tested”. The specific false reject risk is up to 2.5%.

“Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%.”

**Sample Photo:**



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.